Test Type: CHRONIC

Route: SKIN APPLICATION

Species/Strain: RATS/F 344/N

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 03/31/2010 AVERAGE SEVERITY GRADES[b]

Trimethylolpropane triacrylate CAS Number: 15625-89-5

Time Report Requested: 13:41:41

First Dose M/F: 01/18/05 / 01/18/05

Lab: SRI

C Number: C88133C

Lock Date: 10/30/2007

Cage Range: ALL

Date Range: ALL

Reasons For Removal: ALL

Removal Date Range: ALL

Treatment Groups: Include ALL

Study Gender: Both

TDMSE Version: 2.2.0

Route: SKIN APPLICATION

Species/Strain: RATS/F 344/N

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 03/31/2010 AVERAGE SEVERITY GRADES[b]

Trimethylolpropane triacrylate **CAS Number:** 15625-89-5

Time Report Requested: 13:41:41 First Dose M/F: 01/18/05 / 01/18/05

Lab: SRI

FISCHER 344 RATS MALE	0 MG/KG	0.3 MG/KG	1.0 MG/KG	3.0 MG/KG	
Disposition Summary					
•					
Animals Initially In Study	65	65	65	65	
Scheduled Sacrifice	15	15	15	15	
Early Deaths					
Accidently Killed		1			
Moribund Sacrifice	19	24	19	16	
Natural Death	8	7	3	11	
Survivors					
Terminal Sacrifice	23	18	28	23	
Animals Examined Microscopically	50	50	50	50	
ALIMENTARY SYSTEM					
Intestine Large, Cecum	(50)	(50)	(49)	(50)	
Edema	3 [2.7]	1 [3.0]	3 [2.7]	1 [2.0]	
Inflammation, Suppurative			1 [3.0]		
Intestine Large, Colon	(50)	(49)	(49)	(50)	
Intestine Large, Rectum	(49)	(48)	(50)	(50)	
Edema	1 [3.0]	, ,	1 [2.0]	, ,	
Intestine Small, Duodenum	(50)	(49)	(50)	(50)	
Epithelium, Hyperplasia	8 [2.5]	5 [2.2]	3 [2.7]	3 [2.3]	
Intestine Small, Ileum	(49)	(47)	(48)	(48)	
Intestine Small, Jejunum	(48)	(44)	(48)	(49)	
Ulcer			1 [3.0]		
Epithelium, Hyperplasia			1 [2.0]		
Liver	(50)	(50)	(50)	(50)	
Angiectasis	1 [2.0]	1 [2.0]	4 [1.5]		
Basophilic Focus	20	19	29	23	
Clear Cell Focus	11	10	14	16	
Degeneration, Cystic	4 [1.5]	2 [2.5]	1 [2.0]	3 [1.3]	
Eosinophilic Focus	4	4	6	4	
Fibrosis, Focal			1 [3.0]		
Hematopoietic Cell Proliferation	3 [1.7]			3 [1.7]	
Hemorrhage			1 [3.0]		
Hepatodiaphragmatic Nodule	5	5	6	11	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Edema

Route: SKIN APPLICATION

Species/Strain: RATS/F 344/N

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 03/31/2010 AVERAGE SEVERITY GRADES[b]

Trimethylolpropane triacrylate **CAS Number:** 15625-89-5

Time Report Requested: 13:41:41 First Dose M/F: 01/18/05 / 01/18/05

Lab: SRI

Openics/otrain: 10/(10/1 0+4/10				Eub. ON			
FISCHER 344 RATS MALE	0 MG/KG	0.3 MG/KG	1.0 MG/KG	3.0 MG/KG			
Infiltration Cellular, Mixed Cell	5 [1.4]	6 [1.3]	5 [1.6]	4 [1.3]			
Inflammation, Suppurative	1 [4.0]	0 [1.3]	5 [1.0]	4 [1.3] 1 [4.0]			
Inflammation, Suppurative	1 [4.0]			3 [1.7]			
Mixed Cell Focus	10	8	11	3 [1.7] 11			
Necrosis	2 [2.0]	O	11	11			
Necrosis, Focal	2 [2.0] 2 [1.5]	3 [2.3]		1 [4.0]			
Thrombosis	2 [1.5] 1		1 [2 0]	1 [4.0]			
	•	1 [1.0]	1 [3.0]	20 [4 2]			
Bile Duct, Hyperplasia Centrilobular, Necrosis	38 [1.8]	27 [1.5]	21 [1.4]	30 [1.2]			
	9 [1.8]	11 [1.9]	4 [2.0]	3 [2.0]			
Hepatocyte, Vacuolization Cytoplasmic	17 [3.2]	10 [3.1]	12 [2.6]	19 [2.8]			
Kupffer Cell, Pigmentation	1 [3.0]	1 [2.0]		4 [0.0]			
Oval Cell, Hyperplasia	2 [3.0]	(40)	(4.0)	1 [2.0]			
Mesentery	(18)	(13)	(16)	(16)			
Accessory Spleen	3	3	1	1			
Hemorrhage	1 [2.0]						
Fat, Necrosis	14 [2.6]	10 [2.8]	11 [3.0]	11 [2.5]			
Oral Mucosa	(0)	(0)	(1)	(1)			
Cyst			1 [4.0]				
Pancreas	(50)	(50)	(50)	(50)			
Atrophy	25 [2.3]	24 [2.1]	24 [2.0]	20 [2.1]			
Cyst	8 [3.0]	9 [3.0]	6 [3.0]	8 [3.0]			
Necrosis		1 [3.0]					
Acinus, Cytoplasmic Alteration	3 [2.7]	5 [2.8]	5 [3.2]	5 [3.2]			
Acinus, Hyperplasia, Focal	3 [2.7]	1 [1.0]	1 [2.0]	6 [2.2]			
Salivary Glands	(50)	(50)	(50)	(50)			
Atrophy	8 [2.0]	7 [2.1]	10 [2.3]	6 [2.3]			
Necrosis		1 [4.0]					
Stomach, Forestomach	(50)	(50)	(50)	(50)			
Edema	6 [2.8]	7 [3.6]	3 [3.7]	1 [2.0]			
Foreign Body				1			
Inflammation, Chronic Active	5 [3.0]	4 [3.0]	1 [4.0]	2 [2.0]			
Perforation	4		• •	3			
Ulcer	9 [3.9]	9 [3.3]	10 [3.6]	5 [3.0]			
Epithelium, Hyperplasia	15 [3.3]	12 [2.6]	10 [2.9]	14 [2.6]			
Stomach, Glandular	(50)	(50)	(50)	(50)			
= I	(55)	(55)	(55)	(00)			

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

3 [2.7]

3 [3.0]

Test Type: CHRONIC

Route: SKIN APPLICATION

Species/Strain: RATS/F 344/N

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 03/31/2010 AVERAGE SEVERITY GRADES[b]

Trimethylolpropane triacrylate **CAS Number:** 15625-89-5

Time Report Requested: 13:41:41 First Dose M/F: 01/18/05 / 01/18/05

FISCHER 344 RATS MALE	0 MG/KG	0.3 MG/KG	1.0 MG/KG	3.0 MG/KG	
Erosion	9 [2.1]	9 [1.9]	5 [2.2]	7 [2.3]	
Ulcer	4 [2.8]	0 [1.0]	3 [2.3]	2 [2.5]	
Glands, Hyperplasia	2 [1.5]	4 [1.8]	1 [2.0]	3 [1.7]	
Tongue	(1)	(1)	(0)	(0)	
Epithelium, Hyperplasia	(' '	1 [2.0]	(-)	(-)	
Tooth	(0)	(1)	(0)	(0)	
Malformation	(-)	1	(-)	(-/	
CARDIOVASCULAR SYSTEM					
Blood Vessel	(1)	(2)	(1)	(0)	
Hypertrophy		2 [3.5]			
Inflammation, Chronic		1 [3.0]			
Thrombosis		1 [4.0]			
Heart	(50)	(50)	(50)	(50)	
Cardiomyopathy	46 [2.3]	43 [2.3]	44 [2.3]	43 [2.6]	
Inflammation, Suppurative	1 [4.0]	1 [4.0]			
Inflammation, Chronic		1 [3.0]		1 [1.0]	
Mineralization				1 [3.0]	
Thrombosis	10 [3.4]	8 [3.0]		2 [3.0]	
ENDOCRINE SYSTEM					
Adrenal Cortex	(50)	(50)	(50)	(50)	
Accessory Adrenal Cortical Nodule	17 [3.0]	14 [3.0]	18 [3.0]	23 [3.0]	
Atrophy	1 [3.0]		1 [3.0]	1 [4.0]	
Degeneration, Fatty	25 [2.0]	22 [2.0]	27 [1.8]	22 [2.0]	
Hematopoietic Cell Proliferation				1 [2.0]	
Hemorrhage		1 [3.0]			
Hyperplasia, Focal	4 [1.8]	2 [2.0]	4 [1.3]	3 [1.3]	
Hyperplasia, Diffuse		1 [3.0]		2 [3.0]	
Hypertrophy, Focal	11 [2.5]	7 [1.9]	10 [1.8]	7 [1.7]	
Adrenal Medulla	(49)	(50)	(50)	(50)	
Hyperplasia	22 [1.6]	19 [1.7]	20 [1.8]	19 [1.5]	
Islets, Pancreatic	(50)	(50)	(50)	(50)	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Route: SKIN APPLICATION

Species/Strain: RATS/F 344/N

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 03/31/2010 AVERAGE SEVERITY GRADES[b]

Trimethylolpropane triacrylate CAS Number: 15625-89-5

Time Report Requested: 13:41:41

First Dose M/F: 01/18/05 / 01/18/05

FISCHER 344 RATS MALE	0 MG/KG	0.3 MG/KG	1.0 MG/KG	3.0 MG/KG	
	0.14.51	4 [0.0]	4.50.01	4 50 01	
Hyperplasia	2 [1.5]	1 [2.0]	1 [2.0]	1 [3.0]	
Parathyroid Gland	(45)	(46)	(45)	(47)	
Hyperplasia		2 [2.0]	4.5	4	
Pituitary Gland	(49)	(50)	(49)	(50)	
Hyperplasia	1 [2.0]				
Pigmentation	3 [3.0]				
Pars Distalis, Angiectasis	3 [3.3]	2 [2.5]	8 [2.9]	6 [2.0]	
Pars Distalis, Atrophy	3 [2.7]				
Pars Distalis, Cyst	2 [3.0]	3 [3.0]	5 [3.0]	4 [3.0]	
Pars Distalis, Hyperplasia	10 [2.4]	5 [1.8]	7 [2.7]	12 [2.3]	
Pars Distalis, Hypertrophy, Focal		2 [2.0]		8 [2.1]	
Pars Intermedia, Angiectasis		1 [3.0]	1 [2.0]	2 [2.5]	
Pars Intermedia, Cyst	1 [3.0]	2 [3.0]		1 [3.0]	
Thyroid Gland	(50)	(50)	(49)	(50)	
Ultimobranchial Cyst	2 [3.0]	2 [3.0]			
C-cell, Hyperplasia	6 [1.7]	5 [1.8]	5 [1.6]	6 [1.3]	
Follicle, Cyst	2 [3.0]	1 [3.0]	2 [3.0]	2 [3.0]	
Follicular Cell, Hyperplasia			1 [2.0]		
GENERAL BODY SYSTEM					
Tissue NOS	(1)	(0)	(2)	(0)	
GENITAL SYSTEM					
Epididymis	(50)	(50)	(50)	(50)	
Fibrosis	(88)	(00)	1 [3.0]	1 [2.0]	
Granuloma Sperm			1 [0.0]	1 [2.0]	
Inflammation, Chronic	3 [2.0]	3 [2.0]	2 [2.5]	7 [2.0]	
Preputial Gland	(50)	(50)	(50)	(50)	
Cyst	(50)	(30)	1 [3.0]	(30)	
Hyperplasia			1 [3.0] 1 [2.0]	3 [2.0]	
Inflammation, Chronic	20 12 21	45 [2 2]			
Prostate	20 [2.2]	15 [2.2]	16 [2.4]	18 [2.2]	
	(50)	(50)	(50)	(50)	
Fibrosis			1 [3.0]		

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Route: SKIN APPLICATION

Species/Strain: RATS/F 344/N

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 03/31/2010 AVERAGE SEVERITY GRADES[b]

Trimethylolpropane triacrylate CAS Number: 15625-89-5

Time Report Requested: 13:41:41 First Dose M/F: 01/18/05 / 01/18/05

FISCHER 344 RATS MALE	0 MG/KG	0.3 MG/KG	1.0 MG/KG	3.0 MG/KG	
Inflammation, Chronic	42 [2.5]	36 [2.3]	35 [2.2]	41 [2.2]	
Epithelium, Hyperplasia	4 [1.0]	2 [1.0]	4 [1.3]	6 [1.2]	
Seminal Vesicle	(50)	(50)	(50)	(50)	
Inflammation, Chronic	,	,	,	1 [2.0]	
Testes	(50)	(50)	(50)	(50)	
Artery, Inflammation, Chronic	1 [3.0]	3 [1.7]	,	,	
Germinal Epithelium, Atrophy	23 [2.4]	21 [2.4]	25 [2.2]	23 [2.7]	
Interstitial Cell, Hyperplasia	6 [1.2]	5 [1.2]	2 [1.5]	6 [1.3]	
HEMATOPOIETIC SYSTEM					
Bone Marrow	(49)	(50)	(49)	(50)	
Angiectasis			1 [3.0]		
Depletion Cellular			1 [3.0]		
Hyperplasia	3 [2.0]	8 [2.8]	6 [2.7]	6 [2.7]	
Infiltration Cellular, Histiocyte		1 [4.0]			
Myelofibrosis	1 [3.0]				
Necrosis		1 [4.0]	1 [4.0]		
Lymph Node	(20)	(20)	(17)	(18)	
Ectasia				1 [3.0]	
Deep Cervical, Ectasia	1 [4.0]				
Deep Cervical, Hemorrhage			1 [3.0]		
Deep Cervical, Hyperplasia, Lymphoid	1 [4.0]		1 [2.0]	1 [3.0]	
Mediastinal, Ectasia	5 [2.8]	5 [2.4]	4 [3.0]	5 [3.2]	
Mediastinal, Hemorrhage	1 [2.0]	4 [2.0]	3 [1.7]	2 [1.5]	
Mediastinal, Hyperplasia, Lymphoid	3 [3.3]	4 [2.8]	4 [2.5]	5 [2.4]	
Mediastinal, Hyperplasia, Plasma Cell		2 [3.0]			
Mediastinal, Pigmentation	2 [2.5]	1 [1.0]			
Pancreatic, Ectasia	3 [3.0]	4 [2.3]	3 [3.7]	2 [4.0]	
Pancreatic, Hemorrhage	1 [2.0]		2 [2.0]		
Pancreatic, Hyperplasia, Lymphoid	1 [1.0]		3 [2.3]		
Lymph Node, Mandibular	(4)	(0)	(0)	(1)	
Ectasia	1 [1.0]	\ - <i>)</i>	(-)	()	
Lymph Node, Mesenteric	(50)	(50)	(50)	(49)	
Angiectasis	ζ/	(/	(/	1 [3.0]	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Route: SKIN APPLICATION

Species/Strain: RATS/F 344/N

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 03/31/2010 AVERAGE SEVERITY GRADES[b]

Trimethylolpropane triacrylate CAS Number: 15625-89-5

Time Report Requested: 13:41:41 First Dose M/F: 01/18/05 / 01/18/05

FISCHER 344 RATS MALE	0 MG/KG	0.3 MG/KG	1.0 MG/KG	3.0 MG/KG	
Ectasia	8 [2.5]	2 [1.5]	5 [2.2]	6 (2.2)	
Ectasia Hemorrhage	6 [2.5] 1 [1.0]	2 [1.5] 5 [1.2]	5 [2.2] 5 [1.6]	6 [2.2] 3 [1.7]	
· · · · · · · · · · · · · · · · · · ·		5 [1.2]	[0.1] C	3[1.7]	
Hyperplasia, Atypical	1 [3.0]	20 [2 2]	40 [0 0]	40 [2 2]	
Hyperplasia, Lymphoid Necrosis	18 [2.2]	20 [2.3]	18 [2.2]	19 [2.2]	
	1 [3.0]	4 [0 0]			
Pigmentation	1 [2.0]	1 [3.0]	(40)	(40)	
Spleen	(50)	(50)	(49)	(49)	
Accessory Spleen	1			1	
Fibrosis	3 [3.3]		2 [3.0]	1 [4.0]	
Hematopoietic Cell Proliferation	10 [2.2]	9 [2.6]	9 [2.4]	9 [2.2]	
Hemorrhage	1 [4.0]				
Infiltration Cellular, Mixed Cell		1 [4.0]			
Necrosis	2 [4.0]	1 [4.0]	4 [3.5]	1 [1.0]	
Pigmentation	1 [3.0]	2 [3.0]	1 [3.0]	1 [3.0]	
Lymphoid Follicle, Atrophy	2 [3.0]	1 [2.0]	2 [2.0]	2 [3.0]	
Lymphoid Follicle, Hyperplasia		1 [2.0]			
Thymus	(45)	(44)	(49)	(46)	
Atrophy		1 [3.0]			
INTEGUMENTARY SYSTEM				-	
Mammary Gland	(50)	(49)	(49)	(48)	
Hyperplasia	37 [3.1]	27 [3.4]	35 [3.1]	28 [3.1]	
Inflammation, Chronic Active	0. [0]	[0]	2 [3.0]	_= [0]	
Skin	(50)	(49)	(50)	(50)	
Cyst Epithelial Inclusion	(00)	(10)	3	(66)	
Edema		1 [4.0]	Ü		
Hemorrhage		1 [3.0]			
Hyperkeratosis		1 [4.0]		1 [4.0]	
Inflammation, Chronic		1 [2.0]		1 [4.0]	
Ulcer	6 [3.7]	4 [4.0]	10 [4.0]	7 [4.0] 7 [4.0]	
Control, Cyst Epithelial Inclusion	0 [3.7]	4 [4.0]	10 [4.0]	7 [4.0]	
		1 [2 [1	I		
Control, Edema	4 [2 0]	1 [3.0]	E [2 4]	E [2.6]	
Epidermis, Hyperplasia	4 [3.0]	4 [3.5]	5 [3.4]	5 [3.6]	
Epidermis, Site Of Application, Hyperplasia	1 [1.0]		12 [1.0]	28 [1.1]	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Route: SKIN APPLICATION

Species/Strain: RATS/F 344/N

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 03/31/2010 AVERAGE SEVERITY GRADES[b]

Trimethylolpropane triacrylate CAS Number: 15625-89-5

Time Report Requested: 13:41:41

First Dose M/F: 01/18/05 / 01/18/05

FISCHER 344 RATS MALE	0 MG/KG	0.3 MG/KG	1.0 MG/KG	3.0 MG/KG	
Site Of Application, Hyperkeratosis Site Of Application, Inflammation, Chronic	2 [1.0]	4 [1.0]	33 [1.0] 1 [2.0]	49 [1.0]	
MUSCULOSKELETAL SYSTEM					
Bone	(50)	(50)	(50)	(50)	
Fibrous Osteodystrophy	1 [1.0]	1 [1.0]	. ,	2 [1.0]	
Fracture Femur, Osteopetrosis			1 [2 0]	1	
Skeletal Muscle	(2)	(0)	1 [3.0] (3)	(1)	
Hemorrhage	1 [2.0]	(0)	(0)	(1)	
NERVOUS SYSTEM					
Brain	(50)	(50)	(50)	(50)	
Compression	25 [3.3]	26 [3.2]	26 [2.9]	16 [3.0]	
Hemorrhage	4 [2.5]	1 [3.0]	1 [2.0]	2 [2.0]	
Necrosis	2 [2.5]	1 [3.0]	2 [1.5]	4 [2.3]	
Meninges, Fibrosis		1 [3.0]			
Spinal Cord	(2)	(3)	(5)	(3)	
RESPIRATORY SYSTEM					
Lung	(50)	(50)	(50)	(50)	
Edema	1 [3.0]	1 [3.0]	1 [3.0]		
Foreign Body			1		
Hemorrhage	3 [2.0]	4 [2.8]	1 [2.0]	4 [2.0]	
Infiltration Cellular, Histiocyte	20 [1.4]	18 [1.3]	14 [1.4]	18 [1.2]	
Inflammation, Suppurative	1 [3.0]	1 [3.0]			
Inflammation, Chronic	14 [1.2]	12 [1.6]	15 [1.3]	10 [1.2]	
Metaplasia, Osseous		2 [1.0]	1 [1.0]	1 [1.0]	
Pigmentation, Hemosiderin	2 [1.0]	2 [2.0]		1 [3.0]	
Thrombosis	1 [1.0]	1 [2.0]	1 [1.0]		
Alveolar Epithelium, Hyperplasia	10 [1.9]	9 [2.0]	8 [1.9]	8 [1.6]	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Route: SKIN APPLICATION

Species/Strain: RATS/F 344/N

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 03/31/2010 AVERAGE SEVERITY GRADES[b]

Trimethylolpropane triacrylate **CAS Number:** 15625-89-5

Time Report Requested: 13:41:41 First Dose M/F: 01/18/05 / 01/18/05

FISCHER 344 RATS MALE	0 MG/KG	0.3 MG/KG	1.0 MG/KG	3.0 MG/KG	
A. J. 5 W. B. M. J. C.	4 [0 0]		4 [0.0]		
Alveolar Epithelium, Metaplasia, Squamous Bronchiole, Hyperplasia	1 [3.0]		1 [3.0]		
Pleura, Fibrosis		1 [2.0]	1 [2.0]		
Nose	(50)	(50)	(50)	(50)	
Foreign Body	23	27	26	27	
Fungus	23	4	6	3	
Hemorrhage	2	2 [3.5]	U	3	
Inflammation, Chronic	20 [1.5]	19 [1.9]	23 [1.8]	21 [1.7]	
Respiratory Epithelium, Hyperplasia	11 [1.2]	11 [1.8]	14 [1.8]	17 [1.4]	
Respiratory Epithelium, Metaplasia, Squamous	2 [2.5]	5 [3.4]	6 [1.8]	4 [1.8]	
Trachea	(50)	(50)	(50)	(50)	
Inflammation, Chronic	1 [3.0]	(00)	(00)	(00)	
SPECIAL SENSES SYSTEM					
Eye	(50)	(50)	(50)	(50)	
Cataract	3 [3.0]	2 [2.5]	2 [2.0]	3 [2.0]	
Inflammation, Suppurative			1 [2.0]		
Inflammation, Acute		1 [2.0]	3 [1.7]		
Inflammation, Chronic	1 [2.0]	1 [2.0]			
Cornea, Hyperplasia	1 [2.0]				
Retina, Degeneration	9 [2.1]	2 [3.5]	3 [2.7]	3 [3.0]	
Harderian Gland	(50)	(50)	(50)	(50)	
Hyperplasia, Focal		2 [1.5]	1 [1.0]		
Inflammation, Chronic	1 [2.0]	1 [4.0]			
Zymbal's Gland	(1)	(2)	(1)	(3)	
URINARY SYSTEM					
Kidney	(50)	(50)	(50)	(50)	
Hydronephrosis	()	(/	()	1 [3.0]	
Infarct	1 [2.0]			r 1	
Inflammation, Chronic	F1		1 [2.0]		
Nephropathy	48 [2.2]	44 [2.2]	47 [2.3]	44 [2.3]	
Papilla, Necrosis			• •	2 [2.0]	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: CHRONIC

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 03/31/2010 AVERAGE SEVERITY GRADES[b]

Trimethylolpropane triacrylate **CAS Number:** 15625-89-5

Time Report Requested: 13:41:41

First Dose M/F: 01/18/05 / 01/18/05

Route: SKIN APPLICATION	
Species/Strain: RATS/F 344/N	

FISCHER 344 RATS MALE	0 MG/KG	0.3 MG/KG	1.0 MG/KG	3.0 MG/KG	
Renal Tubule, Accumulation, Hyaline Droplet	1 [2.0]	1 [2.0]	2 [2.5]		
Renal Tubule, Dilatation	1 [2.0]	2 [2.5]	2 [2.0]		
Renal Tubule, Necrosis	5 [2.0]	3 [3.0]	2 [2.0]	1 [4.0]	
Renal Tubule, Pigmentation	6 [2.2]	3 [2.3]	1 [2.0]	1 [3.0]	
Transitional Epithelium, Hyperplasia	1 [2.0]		1 [2.0]		
Urinary Bladder	(50)	(50)	(50)	(50)	
Calculus Gross Observation	1				
Inflammation, Chronic	1 [3.0]			1 [3.0]	
Necrosis				1 [3.0]	

^{***} END OF MALE ***

Route: SKIN APPLICATION

Species/Strain: RATS/F 344/N

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 03/31/2010 AVERAGE SEVERITY GRADES[b]

Trimethylolpropane triacrylate CAS Number: 15625-89-5

Time Report Requested: 13:41:41 First Dose M/F: 01/18/05 / 01/18/05

FISCHER 344 RATS FEMALE	0 MG/KG	0.3 MG.KG	1.0 MG/KG	3.0 MG/KG
Disposition Summary				
Animals Initially In Study	65	65	65	65
Scheduled Sacrifice	15	15	15	15
Early Deaths				
Moribund Sacrifice	10	12	17	10
Natural Death	13	7	9	8
Survivors		-	-	-
Natural Death			1	
Terminal Sacrifice	27	31	23	32
Animals Examined Microscopically	50	50	50	50
ALIMENTA DV OVOTEM				
ALIMENTARY SYSTEM				
Intestine Large, Cecum	(49)	(49)	(49)	(50)
Edema	1 [2.0]		3 [3.0]	
Intestine Small, Duodenum	(50)	(50)	(50)	(50)
Epithelium, Hyperplasia		1 [2.0]	4 [2.5]	
Intestine Small, Ileum	(45)	(49)	(48)	(49)
Intestine Small, Jejunum	(44)	(47)	(44)	(49)
Liver	(50)	(50)	(50)	(50)
Angiectasis	4 [2.0]	2 [2.5]		3 [1.7]
Basophilic Focus	43	45	38	45
Clear Cell Focus	9	5	2	7
Cyst	1 [3.0]			
Eosinophilic Focus	8	9	7	4
Fatty Change	4 [2.8]	7 [2.9]	6 [2.5]	5 [2.2]
Hematopoietic Cell Proliferation	2 [1.5]	2 [1.0]	1 [2.0]	
Hepatodiaphragmatic Nodule	11	9	2	9
Infiltration Cellular, Mixed Cell	7 [2.0]	7 [1.3]	9 [1.4]	12 [1.8]
Inflammation, Chronic				1 [1.0]
Mixed Cell Focus	9	9	4	8
Necrosis, Focal	2 [1.5]	5 [1.0]	4 [2.0]	
Thrombosis			1 [3.0]	
Bile Duct, Hyperplasia		2 [1.0]	4 [1.3]	2 [1.0]
Centrilobular, Necrosis	2 [1.5]	3 [2.7]	3 [1.7]	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Route: SKIN APPLICATION

Species/Strain: RATS/F 344/N

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 03/31/2010 AVERAGE SEVERITY GRADES[b]

Trimethylolpropane triacrylate CAS Number: 15625-89-5

Time Report Requested: 13:41:41 First Dose M/F: 01/18/05 / 01/18/05

Lab: SRI

ISCHER 344 RATS FEMALE	0 MG/KG	0.3 MG.KG	1.0 MG/KG	3.0 MG/KG	
				,	
Hepatocyte, Eosinophilic Focus				1	
Hepatocyte, Mitotic Alteration				2 [3.0]	
Hepatocyte, Vacuolization Cytoplasmic	3 [2.7]	7 [2.7]	12 [3.1]	6 [2.5]	
Kupffer Cell, Pigmentation	45-53	1 [3.0]	44.53		
Mesentery	(26)	(15)	(19)	(18)	
Accessory Spleen	4		2	1	
Fibrosis	1 [2.0]		1 [3.0]		
Hemorrhage		1 [3.0]			
Thrombosis			1 [3.0]		
Fat, Necrosis	22 [3.0]	13 [2.8]	16 [2.8]	15 [2.7]	
Pancreas	(50)	(50)	(49)	(50)	
Atrophy	10 [1.6]	13 [1.3]	16 [1.6]	8 [1.8]	
Cyst	3 [3.0]	4 [3.0]	3 [3.0]	6 [3.0]	
Metaplasia, Hepatocyte		1 [2.0]			
Acinus, Cytoplasmic Alteration	4 [2.8]	2 [3.0]	3 [3.0]		
Acinus, Hyperplasia, Focal	1 [1.0]	2 [1.5]	3 [1.3]	2 [1.0]	
Salivary Glands	(50)	(50)	(50)	(50)	
Atrophy	5 [2.2]	5 [1.8]	3 [2.0]	2 [1.5]	
Necrosis	1 [3.0]				
Stomach, Forestomach	(50)	(50)	(50)	(50)	
Edema	3 [3.7]	2 [3.0]	7 [3.6]	2 [4.0]	
Erosion		1 [2.0]			
Inflammation, Chronic Active	4 [3.0]	2 [3.0]	5 [3.4]	4 [3.0]	
Perforation		• •	2		
Ulcer	5 [3.2]	1 [4.0]	9 [3.3]	2 [3.5]	
Epithelium, Hyperplasia	6 [3.2]	3 [2.7]	12 [3.1]	7 [2.9]	
Stomach, Glandular	(50)	(50)	(50)	(50)	
Erosion	1 [1.0]	5 [1.8]	5 [2.0]	3 [1.0]	
Ulcer	1 [3.0]	- []	3 [2.3]	1 [2.0]	
Glands, Hyperplasia	. [0.0]	2 [2.0]	2 [1.5]	1 [1.0]	
Tongue	(1)	(1)	(0)	(0)	
Epithelium, Hyperplasia	1 [1.0]	(')	(5)	(0)	

CARDIOVASCULAR SYSTEM

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 03/31/2010 AVERAGE SEVERITY GRADES[b]

Trimethylolpropane triacrylate **CAS Number:** 15625-89-5

Time Report Requested: 13:41:41

First Dose M/F: 01/18/05 / 01/18/05

Route: SKIN APPLICATION
Species/Strain: RATS/F 344/N

FISCHER 344 RATS FEMALE	0 MG/KG	0.3 MG.KG	1.0 MG/KG	3.0 MG/KG	
Heart	(50)	(50)	(50)	(50)	
Cardiomyopathy	38 [1.9]	44 [1.6]	34 [1.9]	30 [1.9]	
Thrombosis		3 [2.7]	2 [3.0]		
ENDOCRINE SYSTEM					
Adrenal Cortex	(50)	(50)	(50)	(50)	
Accessory Adrenal Cortical Nodule	7 [3.0]	6 [3.0]	4 [3.0]	8 [3.0]	
Atrophy	1 [3.0]	1 [3.0]			
Degeneration, Fatty	18 [1.8]	23 [2.0]	23 [2.0]	22 [1.5]	
Hemorrhage		1 [2.0]	• •		
Hyperplasia	1 [3.0]				
Hyperplasia, Focal	8 [1.6]	6 [1.8]	3 [2.3]	9 [1.9]	
Hyperplasia, Diffuse			1 [2.0]		
Hypertrophy, Focal	7 [2.3]	11 [1.6]	12 [1.7]	7 [2.3]	
Necrosis	2 [3.5]	1 [1.0]	• •		
Adrenal Medulla	(48)	(50)	(49)	(50)	
Hyperplasia	5 [1.4]	3 [1.0]	4 [1.8]	1 [1.0]	
Necrosis	1 [4.0]				
Islets, Pancreatic	(50)	(50)	(49)	(50)	
Hyperplasia	2 [1.5]	1 [1.0]	, ,	, ,	
Parathyroid Gland	(45)	(49)	(46)	(46)	
Hyperplasia	1 [2.0]	• •	. ,		
Pituitary Gland	(50)	(50)	(50)	(50)	
Pigmentation			1 [3.0]		
Pars Distalis, Angiectasis	9 [3.2]	10 [2.9]	14 [2.6]	10 [2.9]	
Pars Distalis, Cyst	14 [3.0]	18 [3.0]	19 [3.0]	24 [3.0]	
Pars Distalis, Hyperplasia	9 [2.3]	11 [2.4]	17 [2.4]	9 [2.4]	
Pars Distalis, Hypertrophy, Focal			1 [2.0]	1 [2.0]	
Pars Intermedia, Angiectasis	3 [3.0]	5 [2.6]	2 [2.5]	4 [2.8]	
Pars Intermedia, Cyst	3 [3.0]	1 [3.0]	3 [3.0]	7 [3.0]	
Pars Intermedia, Hyperplasia	1 [3.0]	-	-	-	
Thyroid Gland	(50)	(50)	(50)	(50)	
Ultimobranchial Cyst		1 [3.0]	2 [3.0]		
C-cell, Hyperplasia	5 [1.4]	8 [1.3]	8 [1.3]	4 [2.0]	

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Route: SKIN APPLICATION

Species/Strain: RATS/F 344/N

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 03/31/2010 AVERAGE SEVERITY GRADES[b]

Trimethylolpropane triacrylate **CAS Number:** 15625-89-5

Time Report Requested: 13:41:41

First Dose M/F: 01/18/05 / 01/18/05

FISCHER 344 RATS FEMALE	0 MG/KG	0.3 MG.KG	1.0 MG/KG	3.0 MG/KG	
Follicle, Cyst		1 [3.0]	2 [3.0]	1 [3.0]	
Follicular Cell, Hyperplasia	1 [1.0]				
GENERAL BODY SYSTEM					
Tissue NOS	(0)	(1)	(1)	(0)	
GENITAL SYSTEM					
Clitoral Gland	(50)	(50)	(50)	(49)	
Cyst	3 [3.0]	2 [3.0]	2 [3.0]		
Hyperplasia	10 [2.1]	6 [1.3]	3 [2.3]	2 [2.5]	
Inflammation, Chronic	5 [2.8]	7 [2.6]	2 [3.0]	4 [3.0]	
Ovary	(50)	(50)	(50)	(50)	
Cyst	6 [3.0]	5 [3.0]	8 [3.0]	7 [3.0]	
Uterus	(50)	(50)	(50)	(50)	
Hyperplasia, Cystic	10 [2.0]	7 [2.0]	12 [2.2]	3 [2.7]	
Cervix, Myometrium, Hypertrophy		1 [3.0]			
Vagina	(8)	(5)	(9)	(5)	
HEMATOPOIETIC SYSTEM					
Bone Marrow	(50)	(50)	(50)	(50)	
Hyperplasia	3 [3.3]	5 [2.6]	2 [3.5]	1 [3.0]	
Infiltration Cellular, Histiocyte				2 [2.0]	
Myelofibrosis	2 [1.0]	1 [3.0]	2 [2.5]	1 [4.0]	
Lymph Node	(12)	(11)	(8)	(4)	
Bronchial, Hyperplasia	1 [2.0]				
Bronchial, Pigmentation	1 [2.0]				
Mediastinal, Ectasia	3 [2.7]	2 [3.0]	1 [2.0]		
Mediastinal, Hemorrhage	4 [2.8]	4 [2.5]	2 [2.5]	2 [2.5]	
Mediastinal, Hyperplasia, Lymphoid	3 [2.7]	7 [2.3]	1 [3.0]	1 [2.0]	
Mediastinal, Pigmentation	5 [2.2]	6 [2.2]	2 [3.0]	2 [2.5]	
Pancreatic, Hemorrhage	1 [3.0]				

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: CHRONIC

Route: SKIN APPLICATION

Species/Strain: RATS/F 344/N

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 03/31/2010 AVERAGE SEVERITY GRADES[b]

Trimethylolpropane triacrylate CAS Number: 15625-89-5

Time Report Requested: 13:41:41

First Dose M/F: 01/18/05 / 01/18/05

Lab: SRI

FISCHER 344 RATS FEMALE	0 MG/KG	0.3 MG.KG	1.0 MG/KG	3.0 MG/KG	
Deposite Disposatolica	4 [0 0]				
Pancreatic, Pigmentation	1 [2.0]	(0)	(0)	(0)	
Lymph Node, Mandibular	(4)	(0)	(0)	(0)	
Ectasia	1 [4.0]	(=0)	(=0)	(50)	
Lymph Node, Mesenteric	(50)	(50)	(50)	(50)	
Ectasia			1 [2.0]	2 [2.0]	
Hemorrhage	1 [1.0]	1 [2.0]	1 [2.0]	2 [1.0]	
Hyperplasia, Lymphoid	26 [2.3]	20 [2.2]	14 [2.1]	19 [2.2]	
Pigmentation	1 [3.0]	1 [3.0]	1 [2.0]	3 [3.0]	
Spleen	(50)	(50)	(50)	(50)	
Fibrosis	1 [3.0]		1 [2.0]		
Hematopoietic Cell Proliferation	10 [2.2]	13 [2.2]	17 [2.2]	13 [2.0]	
Infiltration Cellular, Mixed Cell				1 [4.0]	
Necrosis			1 [3.0]	1 [3.0]	
Pigmentation	8 [3.0]	5 [3.0]	6 [3.0]	6 [3.0]	
Lymphoid Follicle, Atrophy	0 [0.0]	1 [3.0]	1 [3.0]	1 [2.0]	
Thymus	(47)	(47)	(46)	(50)	
Cyst	1 [3.0]	(,	(10)	(55)	
INTEGUMENTARY SYSTEM					
Mammary Gland	(50)	(50)	(50)	(50)	
Hyperplasia	48 [2.9]	48 [2.9]	45 [2.8]	44 [2.6]	
Inflammation, Chronic		1 [4.0]			
Skin	(50)	(50)	(50)	(50)	
Cyst Epithelial Inclusion	1	()	()	, ,	
Edema		1 [3.0]		1 [2.0]	
Ulcer	2 [2.5]	3 [3.7]		2 [3.0]	
Epidermis, Hyperplasia	1 [3.0]	4 [2.8]		2 [3.0]	
Epidermis, Typerplasia Epidermis, Site Of Application, Hyperplasia	. [0.0]	4 [1.3]	11 [1.0]	25 [1.0]	
Site Of Application, Hyperkeratosis		11 [1.0]	42 [1.0]	50 [1.0]	
Site Of Application, Hyperkeratosis Site Of Application, Ulcer			42 [1.U]	50 [1.0]	
		2 [2.0]		4 [0 0]	
Subcutaneous Tissue, Necrosis				1 [2.0]	

MUSCULOSKELETAL SYSTEM

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: CHRONIC

Route: SKIN APPLICATION

Species/Strain: RATS/F 344/N

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 03/31/2010 AVERAGE SEVERITY GRADES[b]

Trimethylolpropane triacrylate **CAS Number:** 15625-89-5

Time Report Requested: 13:41:41 First Dose M/F: 01/18/05 / 01/18/05

FISCHER 344 RATS FEMALE	0 MG/KG	0.3 MG.KG	1.0 MG/KG	3.0 MG/KG	
Bone	(50)	(50)	(50)	(50)	
Fibrous Osteodystrophy			1 [2.0]		
Femur, Osteopetrosis		1 [4.0]			
Skeletal Muscle	(0)	(1)	(1)	(0)	
Cyst			1 [3.0]		
NERVOUS SYSTEM					
Brain	(50)	(50)	(50)	(50)	
Compression	31 [2.9]	24 [3.0]	18 [3.1]	21 [3.1]	
Hemorrhage	3 [3.0]	4 [2.3]	4 [2.8]	1 [3.0]	
Necrosis	1 [1.0]	4 [1.8]	1 [4.0]		
RESPIRATORY SYSTEM					
Lung	(50)	(50)	(50)	(50)	
Edema	1 [2.0]	1 [1.0]	1 [2.0]	1 [2.0]	
Foreign Body				2	
Hemorrhage	4 [2.3]	5 [1.8]	10 [2.0]	4 [1.8]	
Infiltration Cellular, Histiocyte	23 [1.1]	24 [1.2]	28 [1.1]	21 [1.0]	
Inflammation, Chronic	14 [1.2]	22 [1.2]	15 [1.0]	13 [1.5]	
Inflammation, Chronic Active			1 [4.0]		
Metaplasia, Osseous			1 [1.0]		
Pigmentation, Hemosiderin	11 [1.4]	16 [1.3]	14 [1.2]	12 [1.4]	
Alveolar Epithelium, Hyperplasia	3 [1.3]	5 [1.8]	3 [1.3]	2 [1.5]	
Nose	(50)	(50)	(50)	(50)	
Foreign Body	5	5	2	2	
Inflammation, Chronic	8 [1.4]	5 [1.6]	4 [1.3]	5 [1.2]	
Respiratory Epithelium, Hyperplasia	2 [1.0]	3 [1.0]			
Respiratory Epithelium, Metaplasia, Squamous	2 [2.0]	1 [1.0]			
SPECIAL SENSES SYSTEM					

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)

Test Type: CHRONIC

Route: SKIN APPLICATION

Species/Strain: RATS/F 344/N

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH Date Report Requested: 03/31/2010 AVERAGE SEVERITY GRADES[b]

Trimethylolpropane triacrylate **CAS Number:** 15625-89-5

Time Report Requested: 13:41:41 First Dose M/F: 01/18/05 / 01/18/05

Lab: SRI

FISCHER 344 RATS FEMALE	0 MG/KG	0.3 MG.KG	1.0 MG/KG	3.0 MG/KG	
Cataract	2 [3.0]	6 [2.0]	5 [1.8]	4 [2.5]	
Inflammation, Acute	2 [2.0]	1 [2.0]	1 [2.0]		
Cornea, Hyperplasia	1 [2.0]				
Retina, Degeneration	6 [2.2]	10 [2.8]	11 [2.3]	5 [3.6]	
Harderian Gland	(50)	(50)	(50)	(50)	
Inflammation, Chronic	1 [2.0]	3 [3.3]			
Zymbal's Gland	(0)	(1)	(0)	(0)	
URINARY SYSTEM					
Kidney	(50)	(50)	(50)	(50)	
Cyst	1 [3.0]		2 [3.0]		
Infarct	1 [1.0]	1 [4.0]	2 [2.5]		
Inflammation, Suppurative			1 [1.0]		
Inflammation, Chronic			1 [2.0]		
Nephropathy	38 [1.6]	39 [1.6]	36 [1.8]	35 [1.6]	
Renal Tubule, Accumulation, Hyaline Droplet	2 [2.0]	2 [2.5]	1 [2.0]		
Renal Tubule, Dilatation	2 [2.0]				
Renal Tubule, Necrosis	- -	1 [4.0]	1 [3.0]		
Renal Tubule, Pigmentation	2 [2.5]	1 [2.0]	3 [2.7]	1 [1.0]	
Transitional Epithelium, Hyperplasia		2 [2.0]	3 [2.0]	1 [1.0]	
Urinary Bladder	(50)	(50)	(49)	(50)	
Edema	1 [3.0]	` '	, ,	` '	
Transitional Epithelium, Hyperplasia	LJ		1 [3.0]		

*** END OF REPORT ***

a - Number of animals examined microscopically at site and number of animals with lesion b-Average severity grade(1-minimal;2-mild;3-moderate;4-marked)